


# vinyl planks & tiles.



BERRY  ALLOC



/ zenn.  
Collection  
overview.

# Technical collection overview.

## / zenn.

**Harmony Lab**  
Colour character









- yellow
- purple
- red
- green
- orange
- blue





Technical	ZENN 30		ZENN 55		ZENN 55 Herringbone	
	Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down
Wearlayer (mm)	0,30 mm		0,55 mm			
Embossing	Wood & stone emboss		Wood & stone emboss		Wood emboss	
Thickness (mm)	4 + 1	2	5 + 1	2,5	5 + 1	2,5
Integrated underlay	✓	No	✓	No	✓	No
Lock	<b>2G</b>	No	<b>5G</b>	No	<b>5G</b>	No
Class	23/32	23/31	23/33	23/33/42	23/33	23/33/42
Commercial warranty	5 years		3 years		10 years	
Residential warranty	20 years		15 years		Lifetime	

Test results	ZENN 30		ZENN 55		ZENN 55 Herringbone	
	suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2		suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2		suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2	
Underfloor heating	pass		pass			
Castor chair	Bfl-s1		Bfl-s1			
Fire resistance	> 6		> 6			
Light fastness	OK		OK			
Chemical resistance	< 0,1 mm		< 0,1 mm			
Residual indentation	0,025 m²K/W	0,010 m²K/W	0,030 m²K/W	0,010 m²K/W	0,030 m²K/W	0,010 m²K/W
Thermal resistance	R10		R10			
Slip resistance	class DS		class DS			
Sound reduction: impact sound	19 dB	2dB	19 dB	2dB	19 dB	2dB
Dimensional stability	< 0,15 % - pass		< 0,15 % - pass			
Lock Strength	> 1,5 kN/m - pass	/	> 1,5 kN/m - pass	/	> 1,5 kN/m - pass	/


Planks & herringbone	ZENN 30		ZENN 55		ZENN 55 Herringbone	
	Planks m² per pack	2,17 m²	5,20 m²	1,73 m²	4,34 m²	1,97 m²
Planks per pack	10 pieces	24 pieces	8 pieces	20 pieces	30 pieces	64 pieces
m² per pallet	97,55 m²	234,11 m²	78,04 m²	195,09 m²	78,96 m²	187,29 m²
Dimensions	L 1219,2 x W 177,8 mm		L 1219,2 x W 177,8 mm	L 609,6 x W 107,95 mm	L 609,6 x W 114,3 mm	L 609,6 x W 114,3 mm

Tiles	ZENN 30		ZENN 55	
	Tiles m² per pack	2,51 m²	5,02 m²	1,67 m²
Tiles per pack	6 pieces	12 pieces	4 pieces	10 pieces
m² per pallet	100,33 m²	230,77 m²	83,61 m²	192,31 m²
Dimensions	L 914,4 x W 457,2 mm		L 914,4 x W 457,2 mm	

		ZENN 30		ZENN 55		ZENN 55 Herringbone	
		Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down	Rigid click with integrated underlay	Glue down
	<b>Sorrento</b> <span style="color: yellow;">●</span>	60002205	60002217	60002230	60002250	60002242	60002262
	<b>Monsanto</b> <span style="color: yellow;">●</span> <span style="color: orange;">●</span>	60002206	60002218	60002231	60002251	60002243	60002263
	<b>Orlando</b> <span style="color: yellow;">●</span>	60002207	60002219	60002232	60002252	60002244	60002264
	<b>Oslo</b> <span style="color: blue;">●</span> <span style="color: purple;">●</span>	60002208	60002220	60002233	60002253	60002245	60002265
	<b>Palermo</b> <span style="color: orange;">●</span> <span style="color: red;">●</span>	60002209	60002221	60002234	60002254	60002246	60002266
	<b>Porto</b> <span style="color: orange;">●</span> <span style="color: red;">●</span>	60002210	60002222	60002235	60002255	60002247	60002267
	<b>Caïro</b> <span style="color: yellow;">●</span> <span style="color: orange;">●</span>	60002211	60002223	60002236	60002256	60002248	60002268
	<b>Faro</b> <span style="color: yellow;">●</span>	60002212	60002224	60002237	60002257	60002249	60002269

	<b>Delhi</b> <span style="color: yellow;">●</span>	60002213	60002225	60002238	60002258
	<b>Bali</b> <span style="color: yellow;">●</span> <span style="color: purple;">●</span>	60002214	60002226	60002239	60002259
	<b>Rimini</b> <span style="color: blue;">●</span> <span style="color: purple;">●</span>	60002215	60002227	60002240	60002260
	<b>Fuji</b> <span style="color: blue;">●</span>	60002216	60002228	60002241	60002261

Don't forget about our matching accessories to finish your floor.





**BerryAlloc**

Industrielaan 100  
8930 Menen, Belgium  
T +32 56 67 66 11  
info@berryalloc.com

[www.berryalloc.com](http://www.berryalloc.com)